

Gastroenteritis

Gastroenteritis is an illness triggered by the infection and inflammation of the digestive system. Typical symptoms include abdominal cramps, diarrhoea and vomiting. In many cases, the condition heals itself within a few days.

The main complication of gastroenteritis is dehydration, but this can be prevented if the fluid lost in vomit and diarrhoea is replaced. A person suffering from severe gastroenteritis may need fluids administered intravenously (directly into the bloodstream via a vein – the setup is often referred to as a ‘drip’). Some of the causes of gastroenteritis include viruses, bacteria, bacterial toxins, parasites, particular chemicals and some drugs.

Symptoms of gastroenteritis

The symptoms of gastroenteritis can include:

- loss of appetite
- bloating
- nausea
- vomiting
- abdominal cramps
- abdominal pain
- diarrhoea
- bloody stools (poo) – in some cases
- pus in the stools – in some cases
- generally feeling unwell, including lethargy and body aches.

Causes of gastroenteritis

There are many things that can cause gastroenteritis, including:

- viruses – such as norovirus, calicivirus, rotavirus, astrovirus and adenovirus
- bacteria – such as the *Campylobacter* bacterium
- parasites – such as *Entamoeba histolytica*, *Giardia lamblia* and *Cryptosporidium*
- bacterial toxins – the bacteria themselves don’t cause illness, but their poisonous by-products can contaminate food. Some strains of staphylococcal bacteria produce toxins that can cause gastroenteritis
- chemicals – lead poisoning, for example, can trigger gastroenteritis
- medication – certain medication, such as antibiotics, can cause gastroenteritis in susceptible people.

Infectious gastroenteritis

Infectious gastroenteritis is caused by viruses, bacteria or parasites. In each case, infection occurs when the agent is ingested, usually by eating or drinking. Some of the common types of infectious gastroenteritis include:

- **Escherichia coli infection** – this is a common problem for travellers to countries with poor sanitation. Infection is caused by drinking contaminated water or eating contaminated raw fruits and vegetables.

- **Campylobacter infection** – the bacteria are found in animal faeces (poo) and uncooked meat, particularly poultry. Infection is caused by, for example, consuming contaminated food or water, eating undercooked meat (especially chicken), and not washing your hands after handling infected animals.
- **Cryptosporidium infection** – parasites are found in the bowels of humans and animals. Infection is caused by, for example, swimming in a contaminated pool and accidentally swallowing water, or through contact with infected animals. An infected person may spread the parasites to food or surfaces if they don't wash their hands after going to the toilet.
- **Giardiasis** – parasite infection of the bowel. Infection is caused by, for example, drinking contaminated water, handling infected animals or changing the nappy of an infected baby and not washing your hands afterwards.
- **Salmonellosis** – bacteria are found in animal faeces. Infection is caused by eating contaminated food or handling infected animals. An infected person may also spread the bacteria to other people or surfaces by not washing their hands properly.
- **Shigellosis** – bacteria are found in human faeces. An infected person may spread the bacteria to food or surfaces if they don't wash their hands after going to the toilet.
- **Viral gastroenteritis** – infection is caused by person-to-person contact such as touching contaminated hands, faeces or vomit, or by drinking contaminated water or food.

Diagnosis of gastroenteritis

It is important to establish the cause, as different types of gastroenteritis respond to different treatments. Diagnostic methods may include:

- medical history
- physical examination
- blood tests
- stool tests.

Treatment for gastroenteritis

Treatment depends on the cause, but may include:

- plenty of fluids
- oral rehydration drinks, available from your pharmacist
- admission to hospital and intravenous fluid replacement, in severe cases
- antibiotics, if bacteria are the cause
- drugs to kill the parasites, if parasites are the cause
- avoiding anti-vomiting or anti-diarrhoea drugs unless prescribed or recommended by your doctor, because these medications will keep the infection inside your body.

Prevention of gastroenteritis

General suggestions on how to reduce the risk of gastroenteritis include:

- Wash hands thoroughly with soap and water after going to the toilet or changing nappies, after smoking, after using a handkerchief or tissue, or after handling animals.
- Wash your hands thoroughly with soap and water before preparing food or eating.
- Use disposable paper towels to dry your hands rather than cloth towels, since the bacteria can survive for some time on objects.
- Do not handle raw and cooked foods with the same implements (tongs, knives, cutting boards), unless they have been thoroughly washed between uses.
- Keep all kitchen surfaces and equipment clean.
- Keep cold food cold (below 5 °C) and hot food hot (above 60 °C) to discourage the growth of bacteria.
- Make sure foods are thoroughly cooked.
- Clean the toilet and bathroom regularly, especially the toilet seat, door handles and taps.
- Clean baby change tables regularly.
- When travelling overseas to countries where sanitation is suspect, only drink bottled water. Don't forget to brush your teeth in bottled water too. Avoid food buffets, uncooked foods or peeled fruits and vegetables, and ice in drinks.

Where to get help

- Your doctor
- Your local council health department
- Department of Health Victoria, Communicable Disease Prevention and Control Unit Tel. 1300 65 11 60

Things to remember

- Gastroenteritis is a short-term illness triggered by the infection and inflammation of the digestive system.
- Symptoms can include abdominal cramps, diarrhoea and vomiting.
- Some of the causes of gastroenteritis include viruses, bacteria, bacterial toxins, parasites, particular chemicals and some drugs.

This page has been produced in consultation with, and approved by:

DH - RHP&R - Health Protection - Communicable Disease Prevention and Control Unit

Content on this website is provided for education and information purposes only. Information about a therapy, service, product or treatment does not imply endorsement and is not intended to replace advice from your doctor or other registered health professional. Content has been prepared for Victorian residents and wider Australian audiences, and was accurate at the time of publication. Readers should note that, over time, currency and completeness of the information may change. All users are urged to always seek advice from a registered health care professional for diagnosis and answers to their medical questions.

For the latest updates and more information, visit www.betterhealth.vic.gov.au

Copyright © 1999/2015 State of Victoria. Reproduced from the Better Health Channel (www.betterhealth.vic.gov.au) at no cost with permission of the Victorian Minister for Health. Unauthorised reproduction and other uses comprised in the copyright are prohibited without permission.